

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 237 | ((copy\$3 copies) with (track order\$3 sequential)) and (logical with (device disk)) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) and ((two first second) with (command code module script) with cop\$4) and (status with (cop\$4 command code module script)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:30 |
| L2 | 24 | 707/204.ccls. and L1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:34 |
| L3 | 5 | 707/201.ccls. and L1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:33 |
| L4 | 6 | 707/202.ccls. and L1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:34 |
| L5 | 18 | 707/10.ccls. and L1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:34 |
| L6 | 0 | (open adj system).clm. and (status).clm. and (ordered adj cop\$4).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:32 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| L7 | 1 | (status).clm. and (ordered adj cop\$4).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:32 |
| L8 | 801 | (status).clm. and (cop\$4).clm. and (command).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:33 |
| L9 | 32 | (status).clm. and (cop\$4).clm. and (first adj command).clm. and (second adj command).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:33 |
| L10 | 0 | 707/201.ccls. and L9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:33 |
| L11 | 1 | 707/202.ccls. and L9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:34 |
| L12 | 3 | 707/10.ccls. and L9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:34 |
| L13 | 4 | 707/204.ccls. and L9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:34 |

EAST Search History

| | | | | | | |
|----|------|--|--|----|----|------------------|
| S1 | 50 | ((open adj system) unix linux) and (cop\$4 with track) and main\$1frame and (logical) and ((command code module script) with cop\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 11:41 |
| S2 | 37 | ((open adj system) unix linux) and (cop\$4 with track) and main\$1frame and (logical) and ((command code module script) with cop\$4) and ((disk device source destination) with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 11:42 |
| S3 | 37 | ((open adj system) unix linux) and (cop\$4 with track) and main\$1frame and (logical) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 11:49 |
| S4 | 3252 | (cop\$4 with (track order\$3)) and (logical) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 11:50 |
| S5 | 1632 | (cop\$4 with (track order\$3)) and (logical with (device disk)) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 11:51 |
| S6 | 532 | (cop\$4 with (track order\$3)) and (logical with (device disk)) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) and ((two first second) with (command code module script) with cop\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 11:59 |
| S7 | 135 | "707"/.ccls. and (cop\$4 with (track order\$3)) and (logical with (device disk)) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) and ((two first second) with (command code module script) with cop\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 11:54 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S8 | 243 | (cop\$4 with (track order\$3)) and (logical with (device disk)) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) and ((two first second) with (command code module script) with cop\$4) and (status with (cop\$4 command code module script)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/30 17:28 |
| S9 | 67 | "707"/.cccls. and (cop\$4 with (track order\$3)) and (logical with (device disk)) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) and ((two first second) with (command code module script) with cop\$4) and (status with (cop\$4 command code module script)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 12:08 |
| S10 | 51 | "707"/.cccls. and (cop\$4 with (track order\$3)) and (logical with (device disk)) and ((command code module script) with cop\$4) and ((disk device source destination host) with (location address)) and ((two first second) with (command code module script) with cop\$4) and (status with (cop\$4 command code module script)) and ((order\$3 sequential) with cop\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 12:10 |
| S11 | 595 | "5649156" "5682500" "5513336" "6484269" "5802557" "5761717" "5889935" "6049850" "6408369" "6052797" "6370626" "6629199" "6330655" "6742138" "6732194" "6842843" "6594726" "6574703" "6542974" "6513102" "7249130" "7266572" "6898685" "7113945" "7051176" "7159139" "6868506" "7302526" "7310743" "7000086" "7197616" "6363385" "6546457" "6665738" "7031966" "6718437" "6839773" "6990536" "6901480" "5852715" "6035412" "5943689" "6385706" "6842810" "6574703" "6983353" "6938059" "6993530" "7254752" "6883063" "6393540" "6542909" "6564219" "6385626" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/29 12:42 |

EAST Search History

| | | | | | | |
|-----|----|--|-----------------|----|-----|------------------|
| S12 | 53 | (("5649156") or ("5682500") or ("5513336") or ("6484269") or ("5802557") or ("5761717") or ("5889935") or ("6049850") or ("6408369") or ("6052797") or ("6370626") or ("6629199") or ("6330655") or ("6742138") or ("6732194") or ("6842843") or ("6594726") or ("6574703") or ("6542974") or ("6513102") or ("7249130") or ("7266572") or ("6898685") or ("7113945") or ("7051176") or ("7159139") or ("6868506") or ("7302526") or ("7310743") or ("7000086") or ("7197616") or ("6363385") or ("6546457") or ("6665738") or ("7031966") or ("6718437") or ("6839773") or ("6990536") or ("6901480") or ("5852715") or ("6035412") or ("5943689") or ("6385706") or ("6842810") or ("6574703") or ("6983353") or ("6938059") or ("6993530") or ("7254752") or ("6883063") or ("6393540") or ("6542909") or ("6564219") or ("6385626")).PN. | USPAT; USOCR | OR | OFF | 2008/01/29 12:44 |
| S13 | 53 | S12 and command | USPAT | OR | ON | 2008/01/29 12:44 |
| S14 | 15 | S12 and command.clm. | USPAT | OR | ON | 2008/01/29 12:47 |
| S15 | 2 | S12 and command.clm. and (operat\$4 with environment).clm. | USPAT | OR | ON | 2008/01/29 12:45 |
| S16 | 0 | S12 and command.clm. and (operat\$4 with environment).clm. and status.clm. | USPAT | OR | ON | 2008/01/29 12:45 |
| S17 | 5 | S12 and command.clm. and source.clm. and destination.clm. | USPAT | OR | ON | 2008/01/29 12:49 |
| S18 | 15 | EMC.as. and command.clm. and source.clm. and destination.clm. | USPAT | OR | ON | 2008/01/29 13:20 |
| S19 | 2 | "7099875" | USPAT | OR | ON | 2008/01/29 13:22 |
| S20 | 3 | "7031966" | USPAT | OR | ON | 2008/01/29 13:25 |
| S21 | 1 | "7240131" | USPAT | OR | ON | 2008/01/29 13:25 |



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

((ordered OR sequential) copying status "open system")

[Feedback](#)

((ordered OR sequential) copying status "open system")

Found 10 of 238,273

Terms used: **ordered sequential copying status open system**

Sort results by

☒ [Save results to a Binder](#)

 Refine these results with [Advanced Search](#)

Display results

☐ Open results in a new window

 Try this search in [The ACM Guide](#)

Results 1 - 10 of 10

1 [Extending ACID semantics to the file system](#)



Charles P. Wright, Richard Spillane, Gopalan Sivathanu, Erez Zadok

June 2007 **ACM Transactions on Storage (TOS)**, Volume 3 Issue 2

Publisher: ACM

 Full text available: [pdf\(783.03 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

An organization's data is often its most valuable asset, but today's file systems provide few facilities to ensure its safety. Databases, on the other hand, have long provided transactions. Transactions are useful because they provide atomicity, consistency, ...

Keywords: File system transactions, databases, file systems, ptrace monitors, recoverable memory

[Ads by Google](#)
[eCommerce Website Design](#)

Focusing on Big Business Websites. Customized Web Design. \$10K Minimum
[www.AdvanceDesignInter](#)

[E-Signing for E-Commerce](#)

Speed time to market using electronic signatures from DocuSign
[www.docusign.com/](#)

2 [Active database systems](#)



Norman W. Paton, Oscar Díaz

March 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 1

Publisher: ACM

 Full text available: [pdf\(2.68 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)

Active database systems support mechanisms that enable them to respond automatically to events that are taking place either inside or outside the database system itself. Considerable effort has been directed towards improving understanding of such systems ...

Keywords: active databases, events, object-oriented databases, relational databases

[Publish your book](#)

Publishers looking to publish. See our directory of publishers
[www.publishers2008.info](#)

[Ecommerce Web Design](#)

Serious About Ecommerce Web Design? Get Free Quotes from Multiple Firms
[www.BuyerZone.com](#)

3 [Garbage collecting the Internet: a survey of distributed garbage collection](#)



Saleh E. Abdullahi, Graem A. Ringwood

September 1998 **ACM Computing Surveys (CSUR)**, Volume 30 Issue 3

Publisher: ACM

 Additional Information: [full citation](#), [abstract](#),

Full text available:  pdf(337.65 KB)

[references](#), [cited by](#), [index terms](#), [review](#)

Internet programming languages such as Java present new challenges to garbage-collection design. The spectrum of garbage-collection schema for linked structures distributed over a network are reviewed here. Distributed garbage collectors are classified ...

Keywords: automatic storage reclamation, distributed, distributed file systems, distributed memories, distributed object-oriented management, memory management, network communication, object-oriented databases, reference counting

4 [Use of nested certificates for efficient, dynamic, and trust preserving public key infrastructure](#)



Albert Levi, M. Ufuk Caglayan, Cetin K. Koc

February 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7 Issue 1

Publisher: ACM

Additional Information: [full citation](#), [abstract](#),

Full text available:  pdf(532.64 KB)

[references](#), [index terms](#), [review](#)

Certification is a common mechanism for authentic public key distribution. In order to obtain a public key, verifiers need to extract a certificate path from a network of certificates, which is called public key infrastructure (PKI), and verify the certificates ...

Keywords: Digital certificates, key management, nested certificates, public key infrastructure

5 [Mobile objects in distributed Oz](#)



Peter Van Roy, Seif Haridi, Per Brand, Gert Smolka, Michael Mehl, Ralf Scheidhauer

September 1997 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 19 Issue 5

Publisher: ACM

Additional Information: [full citation](#), [abstract](#),

Full text available:  pdf(484.83 KB)

[references](#), [cited by](#), [index terms](#)

Some of the most difficult questions to answer when designing a distributed application are related to mobility: what information to transfer between sites and when and how to transfer it. Network-transparent distribution, the property that a program's ...

Keywords: latency tolerance, mobile objects, network transparency

6 [The transport layer: tutorial and survey](#)



Sami Iren, Paul D. Amer, Phillip T. Conrad

December 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 4

Publisher: ACM

Additional Information: [full citation](#), [abstract](#),

Full text available:  pdf(261.78 KB)

[references](#), [cited by](#), [index terms](#)

terms

Transport layer protocols provide for end-to-end communication between two or more hosts. This paper presents a tutorial on transport layer concepts and terminology, and a survey of transport layer services and protocols. The transport layer protocol ...

Keywords: TCP/IP networks, congestion control, flow control, transport protocol, transport service

7 Money in electronic commerce: digital cash, electronic fund transfer, and Ecash



Patiwat Panurach

June 1996 **Communications of the ACM**, Volume 39 Issue 6

Publisher: ACM

Full text available: pdf(551.73 KB) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#), [review](#)

8 Design and deployment of industrial sensor networks: experiences from a semiconductor plant and the north sea



Lakshman Krishnamurthy, Robert Adler, Phil Buonadonna, Jasmeet Chhabra, Mick Flanigan, Nandakishore Kushalnagar, Lama Nachman, Mark Yarvis

November 2005 **SenSys '05: Proceedings of the 3rd international conference on Embedded networked sensor systems**

Publisher: ACM

Full text available: pdf(677.48 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Sensing technology is a cornerstone for many industrial applications. Manufacturing plants and engineering facilities, such as shipboard engine rooms, require sensors to ensure product quality and efficient and safe operation. We focus on one representative ...

Keywords: embedded hardware design, industrial applications of sensor networks

9 Frontmatter (TOC, Letters, Election results, Software Reliability Resources!, Computing Curricula 2004 and the Software Engineering Volume SE2004, Software Reuse Research, ICSE 2005 Forward)



July 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 4

Publisher: ACM

Full text available: pdf(6.19 MB) Additional Information: [full citation](#), [index terms](#)

10 ACM SIGSOFT Software Engineering Notes: Volume 30 Issue 4



July 2005 issue Volume 30 Issue 4

Publisher: ACM

Additional Information:

[full citation](#), [index terms](#)

Results 1 - 10 of 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#)


Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((open system and status and copying)<in>metadata)"

Your search matched 1 of 1733971 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((open system and status and copying)<in>metadata)

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[A](#)*Interactive online content developed from IEEE conference tutorials.*[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **A distributed real-time database for heterogeneous computer control sy**
 Madan, R.S.; Arora, R.K.; Purkayastha, P.;
[Industrial Automation and Control, 1995 \(I A & C'95\), IEEE/IAS International C](#)
[No.95TH8005\)](#)
 5-7 Jan. 1995 Page(s):435 - 440
 Digital Object Identifier 10.1109/IACC.1995.465801
[AbstractPlus](#) | Full Text: [PDF](#)(388 KB) IEEE CNF
[Rights and Permissions](#)

 Indexed by
[Help](#) [Contact Us](#)

© Copyright 20

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 5 of 5 for ("ordered copying" OR "sequential copying") status "open system". (0.18 seconds)

Method and apparatus for making independent data copies in a data ...

Together the OP data element 304 and operating **status** disk element 305 define the state of the copy operation. Conventionally in an **open system** it is most ...

www.freepatentsonline.com/7099875.html - 95k - [Cached](#) - [Similar pages](#)

Method and apparatus for making independent data copies in a data ...

Obviously if an **open system** were configured with each file being located in a The header 76 in the extents track includes a lock **status** entry 100 that ...

freepatentsonline.com/20040059882.html - 119k - [Cached](#) - [Similar pages](#)

Introduction to System Software, Chapter 11

These are bound, typically by some operation such as an **open system** The **status** register (DISKSTAT) shown in Figure 11.3 is able to signal a long list ...

www.cs.uiowa.edu/~jones/syssoft/fall00/notes/11disk.html - 62k - [Cached](#) - [Similar pages](#)

Intro to System Software, Chapter 11

These are bound, typically by some operation such as an **open system** service, Register: This one-byte read-only register holds the current **disk status**. ...

www.cs.uiowa.edu/~jones/syssoft/notes/11disk.html - 74k - [Cached](#) - [Similar pages](#)

[GZIP] From Georg.Koltermann at mscsoftware.com Tue May 1 00:40:05 2007 ...

File Format: Gzip Archive

I checked the pool **status** and noticed however that the pool size didn't (or "resilvered"), switch to **sequential copying** to maximize performance. ...

mail.opensolaris.org/pipermail/zfs-discuss/2007-May.txt.gz - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.

If you like, you can repeat the search with the omitted results included.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)